Enhancements in Version 11.0 SP8

Microsoft SQL Server 2016

Introduced support for SQL Server 2016 on the server.

Remove Browser Extensions

Aras Innovator 11.0 SP8 has removed the use of extensions in the web client to conform to modern browser standards. In Internet Explorer, this means that the client will no longer require .NET controls to load on the client, and thus the client setup becomes simpler. In Firefox, this means that the user will not be required to authorize any extensions to load. In order to conform to browser standard, the previous available functionality related to the disk access from client JavaScript was limited. Aras Support's Upgrade Engineers will work with Subscribers to identify any such obsolete code during upgrade.

Performance Improvements in Internet Explorer

Aras Innovator 11.0 SP8 includes targeted performance improvements for common tasks such as opening item windows and showing large data structures in Internet Explorer. These performance improvements were achieved by:

- Implementing more asynchronous calls Aras streamlined the communication between client and server by replacing sequential calls with asynchronous ones, resulting in reduced bottlenecks.
- Decreasing number of total calls to the server Aras reduced the number of calls from the client to the server to improve performance and free up more network resources.
- Minimizing calls between item windows Aras minimized calls between item windows and the main Aras Innovator window.
- Improved overall code efficiency Aras modified the core code to make data and logic processing more efficient.



Issues Fixed in Aras Innovator 11.0 SP8

| Issue # | Description |
|--|---|
| 039318, 024281 | Eliminated the requirement to install the Aras Firefox Extension, allowing the client to run with no add-ons. |
| 039319 | Eliminated the requirement for .NET security policies to use the client in Internet Explorer |
| 026362 | Improved performance when adding Items to an ItemType with a large class structure. |
| 031791 | Enhanced vault to allow client code to capture error returned by Vault Server. |
| 032273 | Eliminated error on login when displaying the default entry in the TOC. |
| 031594, 033277, 034495, 043337 | Improved client grid to allow deselecting highlighted rows. |
| 037847 | Fixed error that can prevent Export to Excel from working in Firefox. |
| 038801, 036049 | Fixed error that can occur when opening Aras Innovator via a StartItem link in Firefo |
| 038958 | Fixed errors that can occur uploading files in Firefox |
| 040341, 041614 | Removed Aras Innovator copy/paste functionality in text editing replacing it with clier side browser compatible copy/paste functionality. |
| 042049 | Enhanced vault server to allow vault to understand session context for language. |
| 040394 | Eliminated the limit of 2GB when uploading files to the vault using the Chrome browser. |
| 038263, 041274, 042630, 041954, 041955, 041956, 044506 | Improved performance opening tear-off window in Internet Explorer. |
| 042489 | Fixed error that could cause Notifications with "acknowledge once" option to appear more than once per user. |
| 043342 | Fixed error that could prevent some File Items from being indexed in Enterprise Search. |
| 042433 | Introduced support for Microsoft SQL Server 2016 |
| 041691 | Updated DOJO framework to version 1.9.8 |
| 044089 | Introduced support Windows 10 Anniversary Edition |
| 040149 | Fixed error that could prevent a user to from selecting the "Return to Innovator" optic in the "Unsaved Items" dialog. |

Table 1: Framework

©2016 Aras Corporation All Copyrights Reserved.

| Issue # | Description |
|---------|--|
| 042538 | Eliminated error that could prevent the toolbar from refreshing for Life Cycle Map editor on first save of a new Life Cycle Map. |
| 044408 | The use of CCO.Session in a Post Method on a Life Cycle Transition has been deprecated. |
| | The following APIs have been removed because they are no longer compatible with client running without extensions: |
| | Aras.prototype.checkinFile |
| | Aras.prototype.checkoutFiles |
| | Aras.prototype.undoCheckOut |
| | Aras.prototype.assignEventhandlerToControl |
| | Aras.prototype.removeEventhandlerFromControl |
| | Aras.prototype.downloadPhysicalFileAs |
| | Aras.prototype.downloadPhysicalFile |
| | Aras.prototype.downloadPhysicalFileTo |
| | Aras.prototype.setFileNameInVaultWithPathCheck |
| | Aras.prototype.getWorkingDir |
| | BrowserHelper.prototype.getFullPath |
| | BrowserHelper.prototype.isReadyForInit |
| | BrowserHelperCommon.prototype.hidePanels |
| | BrowserHelper.prototype.createNativeVault |
| | Aras.prototype.ShowSplashScreen |
| | Aras.prototype.openedWindowsHandler |
| | Aras.prototype.checkinFile |
| | Aras.prototype.checkoutFiles |
| | Aras.prototype.undoCheckOut |
| | Aras.prototype.assignEventhandlerToControl |
| | jToolbarX class |
| | BaseDialog class (Use ArasModules.Dialog for |
| | pop-up dialogs.)BaseModalDialog class |
| | FileSystemObject class |
| | The following APIs have been changed because they are incompatible with a client running without extensions: |
| | Aras.prototype.saveString2File has had the last parameters "showSaveAsDialog" and "quite" removed |
| | The following APIs have been deprecated and will now throw an exception because the client cannot support these vault actions through native Javascript. |
| | Vault.prototype.mkDir |
| | Vault.prototype.deleteFile |

| Issue # | Description |
|---------|---|
| | Vault.prototype.downloadFileAndExecute |
| | Vault.prototype.getWorkingDir |
| | Vault.prototype.getOS |
| | Vault.prototype.urlDecode |
| | Vault.prototype.urlEncode |
| | Vault.prototype.fileCreateWithSaveAsDialog |
| | Vault.prototype.fileExists |
| | Vault.prototype.directoryExists |
| | Vault.prototype.getParentDir |
| | Vault.prototype.setWorkingDir |
| | Vault.prototype.setFileName |
| | Vault.prototype.selectSavePath |
| | Vault.prototype.selectFolder |
| | Vault.prototype.addFileToDownloadList |
| | Vault.prototype.sendFile |
| | Vault.prototype.downloadFiles |
| | Vault.prototype.clearDownloadList |
| | Vault.prototype.fileCreate |
| | Vault.prototype.fileOpenAppend |
| | Vault.prototype.fileOpenWrite |
| | Vault.prototype.fileWriteLine |
| | Vault.prototype.fileClose |
| | Vault.prototype.writeText |
| | Vault.prototype.setFileFieldName |
| | Vault.prototype.getFileFieldName |
| | |
| | |
| | |

