Aras Innovator 38

Release Notes

Document #: *D-008125*

Last Modified: *2/2/2026*

Copyright Information

Copyright © 2026 Aras Corporation. All Rights Reserved.

Aras Corporation
100 Brickstone Square
Suite 100
Andover, MA 01810
Phone: 978-691-8900

Notice of Rights

Copyright © 2026 by Aras Corporation and/or its affiliates. All rights reserved.

This document is protected by U.S. and international copyright laws and conventions. No copyright may be obscured or removed from this document. This document may not be modified or altered, or reproduced or transmitted in any form, without the explicit permission of the copyright holder.

Aras Innovator, Aras, and the Aras Corp "A" logo are registered trademarks of Aras Corporation in the United States and other countries.

All other trademarks referenced herein are the property of their respective owners.

Notice of Liability

This document is provided for informational purposes only, and the contents hereof are subject to change without notice. The information contained in this document is distributed on an "as is" basis, without warranty of any kind, express or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose or a warranty of non-infringement. Aras shall have no liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the information contained in this document or by the software or hardware products described herein.

Table of Contents

Send Us Your Comments **4**

1 Upgrading from Previous Releases **5**

1.1 Upgrading to Aras Innovator 38 5

2 Key Enhancements **6**

3 Fixed Issues and Known Issues **7**

3.1 Fixed Issues in Aras Innovator 38 7

3.2 Known Issues in Aras Innovator 38 8

©2026 Aras Corporation All Copyrights Reserved.

Send Us Your Comments

Aras Corporation welcomes your comments and suggestions on the quality and usefulness of this document. Your input is important in determining the information used for future revisions.

- Did you find any errors?
- Is the information presented?
- Do you need more information? If so, where and what level of detail?
- Are the examples correct? Do you need more examples?
- What features did you like most?

If you find any errors or have any other suggestions for improvement, indicate the document title and the chapter, section, and page number (if available).

You can send comments to us via email:

Email:
TechDocs@aras.com
Subject: Aras Product Documentation

If you have usage issues with the software, visit https://www.aras.com/support/

©2026 Aras Corporation All Copyrights Reserved.

1 Upgrading from Previous Releases

Aras provides tools and services related to upgrading to the latest software release as a benefit of the Subscription. Customers should use the guidelines below to determine the path to upgrading to the latest release.

1.1 Upgrading to Aras Innovator 38

Customers may request Upgrade services from Aras Support if they meet the three criteria:

1. Customers must have an active Subscription for Upgrade Services.
2. Customers must be in production with Aras Innovator.
3. Customers must be running on a version of Aras Innovator released no more than 30 months ago.

If these three criteria are met, the Subscriber may email support@aras.com to initiate an upgrade services project.

Note: Customers with an active Subscription running a version of Aras Innovator released more than 30 months ago should still contact Aras Support at support@aras.com to discuss the available options.

©2026 Aras Corporation All Copyrights Reserved.

2 Key Enhancements

2.1 Improved readability for formatted text in grids

Formatted Text properties are now easier to read when displayed in grids. HTML tags are no longer shown, so you see clean, plain text instead of markup. This improvement applies across the main search grid, modal search grids, relationship grids, and Tree Grid View, making content easier to scan and understand at a glance.

©2026 Aras Corporation All Copyrights Reserved.

3 Fixed Issues and Known Issues

3.1 Fixed Issues in Aras Innovator 38

Issue #	Description
I-034416, I-034417, I-034474, I-040997, I-043349, I-043353, I-047509	Formatted Text properties no longer display their HTML markup when exposed in the main grid. The grid now shows the content without HTML.
I-012655	Using spaces in an Unsigned Big Integer cell property does not trigger an error message.
I-015585	When the browser window zoom is set, for example to 90% (in zoom out direction) in Edge, the relationship grid cannot be scrolled up after scrolling all grid down.
I-019172	If ItemType is set with Default Structure View = Tabs Min, items are opened with the second accordion section minimized, but then after opening it the accordion height is too small.
I-024530	After editing a related item in a relationship tab of a source item, and clicking "Done Editing", the source item is incorrectly removed from any main search grid where it appears.
I-030661	The text entries in the dropdown for the Claim column in search grids ("Claimed by me", etc.) are not localized.
I-036082	User preferences, such as grid column width, are not saved if they were made for an item in edit mode, then the item is not saved, and after that the browser window is closed.
I-038294	On a slow connection, if the focus is set at the Language field in the TOC Editor, the Language search grid is not loaded by clicking the button.
I-050067	Session Timeout while in the relationship grid may cause errors and require a new login.
I-050080	In Chrome v67, the Tree View is not displayed in the Editor for a Quality Planning item or for any document created from a content type.
I-050091	CSS is not applied to Item properties in the main grid.
I-050094	The value of an xProperty is not displayed in the grid.
I-070058	Favorite searches created before Release 34 that use Advanced Search mode and either the "null" or "is null" operator behave as follows. Clicking on the favorite from the navigation panel or the searches dropdown will restore the search criteria as expected, but the favorite search label will not display in the search title bar, and the star icon will not appear yellow. The saved search will work as it did before, but the yellow star will not be displayed.
IH-1132	An authentication loop occurs when an expired Authentication token is passed via sessionSoap globalConfig.headers options. This happens because the token is included in the request headers (options.headers override globalConfig.headers) and is not refreshed inside the sessionSoap.

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description
I-071849 I-071850 I-071852 I-071854	UI issues may occur when zooming or scrolling in a graph view. The 'Center on Context Item' and 'Fit All' buttons may not reposition the view as expected, right-clicking on a node may display the context menu in the wrong position, and the scrollbar may not appear correctly.
IH-8832	Translations disappeared in the Claim dropdown menu of search cell for all languages.
IH-8633	When an external image is linked to a TGV node, the image fails to appear in the grid view. The node itself is visible, but the associated image is not rendered as expected. This issue occurs consistently after attaching an external image and refreshing the grid.
IH-1491	If the value and label do not match, and the user sets value in the grid as search criteria and clicks focus out, then the value switches to the label spontaneously in the search cell.
IH-2293, IH-2288, IH-2287, IH-2268, IH-2252, IH-2248, IH-2247	Formatted Text properties are now easier to read when displayed in grids and exports. HTML tags are no longer shown, so you see clean, readable text instead of markup. This fix applies to the main grid, relationship grids, search grids, and Export to Excel, making content easier to scan and use. As a result, formatted text values are presented more clearly without exposing underlying HTML.
IH-2366, IH-2367, IH-2368, IH2373, IH-9208	Date-based search conditions in saved and favorite searches now retain the correct format for your locale. Dates are no longer converted to a default or neutral format when a saved search is reopened. This fix ensures date values display consistently and return accurate results across different languages, locales, and browser settings.
IH-9884	Export to Excel from the multi-level Tree Grid View now preserves special characters correctly. Characters such as **and**, **less than**, and **greater than** are no longer omitted or altered during export.

3.2 Known Issues in Aras Innovator 38

Issue #	Description	Workaround
I-003734	Multilanguage translations are missing from Effectivity Services.	
I-007920	Query Definitions that include query items such as CAD[Exists(Native File)] in conjunction with a Dynamic 3D Viewer Query Definition result in slower processing times.	
I-009836	Checkboxes in the Extended Classification relationship grid are the wrong size. They should be 16x16.	
I-010552	Using Chrome with the NonVisual Desktop Access application may cause the browser to close after the dialog window appears.	Update to the latest version of Chrome or do not use the NonVisual Desktop Access application in combination with the older version of Chrome.

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
I-010576	Cells in some specialized relationship grids may not display correctly after zooming.	
I-010951	Workflow process may result in SQL Deadlocks, if <200 Workflow Related items and users trigger workflows in parallel. An OnAfterAddActivityAssignment server-side method executing GetItem/AddItem against "Activity Assignment", "Activity Variable", etc. ItemTypes can cause SQL Selects and Inserts in one transaction that may cause SQL Deadlocks.	
I-011102	Type Ahead may fail for unsaved changes to Keyed Name in Item cell.	Item properties can be edited after the last save.
I-011278	When using Export to Word/Excel, the background color in relationship properties cells is not exported along with the data.	
I-012619	Including 0s in the decimal part of an Unsigned Big Integer number is not truncated after changing focus, which makes the value invalid.	
I-012681	Subtitle of a Technical Document cannot be edited if selected directly in the Structure Tree.	Edit the Subtitle in the Editor instead of the Structure Tree.
I-012933	The Relationship grid does not automatically scroll down to a new row after it has been added.	Scroll to the bottom of the grid if the newly added rows are not visible in the Relationship container.
I-013120	When using Export to PDF from an item, radio buttons are not exported correctly in the document.	
I-013368	Vote list dropdown contains no items in Activity Completion form, if Activity is opened using Ctrl+Enter shortcut.	If User opens this Activity by double-click or click on "Complete Task", the form is displayed correctly.
I-013468	Certain HTML report tabs (such as ItemType Definition Report) do not work with Tear Off Tab function.	
I-013576	After adding items in a relationship tab of an item, when the user scrolls to the top items in the tab, the scrolling can freeze	Scroll to the top of the overall item view, which activates the relationship grid scrolling.
I-013898	Properties that are disabled on a Form can be edited when mapped into a TDF document.	
I-013995	Undo/Redo within the TDF editor does not work for content modified in Mapped Document Elements	Modified content must be changed back manually when edited in the Technical Document Editor.
I-014045	If user loses access to an item they are editing when they do a save, the update cannot be saved and a "No items of type {itemtype} found" error is returned by the server.	No workaround. User must get access after a change if the change is to be saved.

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
I-014055	Part save can fail with an "Exception in Goal Basis refresh" error if user does not have needed permissions	No workaround. If goals are not being used, the Part form may be modified to eliminate the Form Event calling the Show Goal Basis method.
I-015194	If Append Results is enabled, there may be inconsistent behavior with paging commands.	
I-018002	Query Builder Editor becomes unusable if a Query Item which is referenced by another Query Item using either a count, min, or max condition is removed, and the Query Definition is then saved.	Remove the references from any Query Item. Then the target Query Item can be removed, and the Query Definition saved.
I-019494	Incorrect access controls based on Boolean properties/xProperties where value = NULL. NULL values are incorrectly treated as 0.	Do not use logic for NULL in the Boolean properties of access controls. Use a defined Boolean value or 1/0. The target value should have a default of 0.
I-019902	If the method referenced by an Environment Attribute returns a different data type than the one originally called out, an error is returned on the save of the Environment Attribute and it cannot be used.	Log in as Administrator and delete the Environment Attribute.
I-020725	User Login will succeed, but the user will be unable to perform any actions if a JavaScript method was assigned to a server event by mistake.	Disable the incorrectly assigned method directly in the database.
I-020825	When a Query definition is configured to reuse a root Query Item in both a Parent and a Child Query Item, the result is endless recursion when executing the Query Action.	Do not include referenced and related ItemTypes in a Query Definition when the relationship between those ItemTypes is reused.
I-021333	Incorrect structure is shown in "Where Used" when viewed as the superuser.	View the "Where Used" structure as a member of the administrator group.
I-021734	In the Technical Document Editor, if the entire text of the Subtitle is selected and deleted, the text reappears after saving.	Place the cursor in the field and remove the text by backspacing or deleting the characters one at a time.
I-021884	It is possible to add query parameters to an unclaimed Query Definition item which results in the 'Unsaved Changes' dialog appearing and an error being triggered if an attempt is made to Save.	
I-022388	Creating a command bar section where the location is “TGV Toolbar” and the Classification=Method and Builder Method results in the method not executing and an error message being displayed.	
I-023064	ItemType forms may display no fields when using Firefox in an https environment with the server and Client OS set to German.	Use a different browser, different language or non-https connections.

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
I-023336	MAC Policy appears to be editable but remains in a read-only state if the ‘New Version’ action is used on a currently displayed read-only policy.	Close and reopen the MAC Policy Form.
I-024473	Multi-select from search dialog using shift-click to select multiple items returns the selection in reverse order.	Select items using control key with click instead of shift-click.
I-024701	Context menu in Tree Grid View (with View, Grow, Trim, View Effectivity) is shown for 'Show More' line but an error is displayed if there is an attempt to use it.	
I-026236, I-026729	Activating more than one MAC Policy using the same xClasses and xProperties fails with an "Error during generate secured functions." message when the second MAC policy is saved/activated.	Create only one MAC policy and combine conditions using the AND operand.
I-026681	Activating a MAC policy with a Collection.Contains expression comparing to a constant fails with an error message - "Error during generate secured functions." e.g., condition= Collection.Contains(CurrentItem.[Derived attribute of List Data type], 'constant').	Redefine MAC policy to compare with a property value, not a constant.
I-031486	Search criteria are lost when switching from Simple to Advanced search mode if using numeric properties with wildcards.	
I-032724	xProperties values are not shown in Search results when using a saved custom grid layout if the Default layout (as set in preferences) does not include these xProperties.	
I-033418	Users must type a space character after any @mention reference in collaboration messages or else further @mention references in the same message may be ignored.	Add the desired xProperties to the Default Layout.
I-034296	If an item form of a relationship item is opened from a relationship tab, it cannot be closed if pending changes exist in the relationship tab.	
I-044991	If the admin user does not have "update" permissions for an ItemType, they cannot add that ItemType to the TOC using the TOC Editor	
I-045503	Sort Across Pages does not work in Grid widgets.	If User re-opens Dashboard tab in their session, the data will be updated.
I-047972	Edit button is disabled on an item's toolbar after "Create new revision" is executed from a search grid, and the item is opened.	Give the admin user "update" permissions for the ItemType, or login as root user to make the change.

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
I-048091	Simple search criteria containing the range operator '...' are not properly converted to Advanced search criteria when switching modes.	
I-048094	Simple search criteria containing the pipe operator '|', when used with numeric and date values, are not properly converted to Advanced search criteria when switching modes.	Click Refresh button.
I-048983	Action can_execute is not called on UpdateTearOff State.	
I-050054	Form elements and fields may overlap each other in German or Japanese localization.	
I-050057	Vault server cannot resolve host name.	
I-050058	On-line help is incomplete.	
I-050059	The OnBlur and OnFocus events are not fired for properties of type Boolean when using Firefox on the client. This applies to all radio boxes and checkboxes.	The vault URL computed by Aras Innovator can fail to calculate when based on DNS settings. If you encounter a problem, please contact Aras support.
I-050060	An error that occurs when loading a Reporting Services report in Tabs viewing mode could load error text over the main toolbar.	Not all new features in Aras Innovator have been documented in the on-line help section of Aras Innovator. Please contact Aras support if you are having difficulty with a new feature.
I-050061	Tree Grid View does not support the display of all Property Item data types.	
I-050062	Color List properties can fail to display color on client machines running the MAC OS and using the Chrome browser.	Close the report and reload the main grid.
I-050063	When a File has several File Representations available only the first representation file returned is available to the user in Viewer.	The issue relates to the display of Float Cell View Types. Changing the Cell View Type to Decimal addresses the issue.
I-050064	Icons in the table of contents can fail to display. The root cause is the use of an SVG file in the ItemType definition that is not compatible with the size constraints of the TOC images.	Use Firefox browser.
I-050065	Component onChange event is fired constantly (Chrome) and may hang the browser session.	
I-050066	Unexpected search results can occur if Boolean or Color data types are used with invalid conditions in the Query Builder.	The SVG file must be identified and altered to be compatible for rendering.

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
I-050068	ItemTypes that have more than 23 characters cannot be added to an xClassification tree.	Use correct static values for Boolean and Color values.
I-050069	The Get Value Method currently cannot return a Null value. An incorrect data type error appears.	Close the browser window and login again.
I-050070	Freeze pane does not fully work in RTL languages. Grid layout can become corrupt when using the freeze pane feature.	Use a name that is less than 23 characters.
I-050071	Users can lose information if they change the “Dynamic Content” Setting in the ItemInfo element of Technical Documents.	
I-050072	Cannot create an xProperty for Type item with a datasource file.	
I-050073	Using the same xProperties in different xClasses within an xClassification tree results in an error message. The Item associated with xClassification tree cannot be saved.	This is expected functionality, associated with 'dynamic content'. Technical Document Administrators should take care when reconfiguring a Document Type when existing content may have been created.
I-050074	xClassification Trees cannot be updated after renaming the polysource ItemType associated with the xClassification tree. This problem can be related to other implicit polysource ItemTypes in Aras Innovator. The user sees the standard error message, but because the error occurs in the database layer due to inconsistencies in the data, it contains low level information about the SQL exception. At the same time, the secured function is too large to fit into the error dialog box.	
I-050075	Extended Classification functionality is broken after importing auto-generated relationships using the Import tool.	
I-050076	A new Tree Grid View Definition (TGVD) containing a mapped element cannot be copied using the 'Save-As' Function.	Trigger the update of the xPropertyContainerItems ItemType by locking it and then clicking Save, Unlock, and Close. The server rebuilds the SQL view, considering the new polysource names.

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
I-050077	Focus is lost from the Reply button if the cursor is moved to the middle of the Reply button and the snapshot checkbox is selected.	Export the created package definition: 1. Select the desired package. 2. Select the Don't Remove checkbox for references to Unknown Packages. 3. Export selected Import package definition that was exported. 4. Select the exported package, 5. Import the selected package (if DB is clear, use the Import tool default settings).
I-050078	If the WebDAVModule is installed on the server, it throws a 405 error when running a DELETE action on an item.	
I-050081	An error may occur if saving an item when many xProperties exist (e.g., 2300).	
I-050082	View_restriction_type list is not yet available in gn_GraphViewDefinition ItemType.	Use an alternate browser or contact Aras Support (support@aras.com) for hotfix availability.
I-050083	The Aras Innovator Server allows setting is_current=0 for non-versionable items through AML.	
I-050084	The order of requests with a ChangeSet in OData is significant. The service will process the requests within a ChangeSet in the order of the requests.	
I-050085	Reference to an item is lost after applying @aras.action=purge in ChangeSet in OData.	
I-050086	Passwords with non-Latin characters are not supported.	
I-050087	When updating a Graph Visualization and a single NVD is specified in a GVD, it is applied to all nodes instead of only the ones that are defined by the query item.	
I-050088	Newline characters are being added in the middle of text content that is cut and pasted from a Word document in the Technical Documentation Framework.	
I-050093	Cannot create an item with 150 properties of type item.	
I-050096	OAuthServer/AuthenticateService and other OAuth related functions do not proxy SMSESSION cookies.	
I-050097	Status item icons are not rendered when exporting the grid to PDF.	

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
I-050098	Export to PDF displays Restricted items as blank instead of displaying "Restricted" text.	
I-050099	An error is displayed if the administrator views the History Container ItemType.	Click Refine Search and check “Select All” checkbox. (When all values are selected, all values are displayed correctly).
I-050100	If an ItemType is set as RelationshipType and the RelationshipTypes Tab is open, ItemType fields other than Name and Singular Label in the form will be cleared after updating any field.	
I-050102	Cannot change a text property from “not required” to “required.”	
I-050103	The functionality outlined in the Aras Innovator – Login Security document is not certified for use with Aras Innovator.	
I-050104	Integrated Web Services are not certified for use with Aras Innovator. Aras Innovator is still compatible with Web Services. Only the integrated UI for creating and managing web services is not certified.	Close the error windows. The data is properly displayed.
I-050105	The standard integration with Microsoft SharePoint is not certified for use with Aras Innovator.	Save the ItemType. The fields will display the correct data after saving.
I-050429	Edits made to a child Part item while the parent Part item is in edit mode will be lost when the parent Part item is saved.	A workaround has been provided in the Aras Innovator on-line help.
I-050679	The total search results number on the pagination bar of the main search grid is not updated to the correct value after switching between favorite searches using different search modes.	
I-051141	When a user tries to save an item containing a MultiLingual String property that has more symbols than specified by its Length setting, an unclear error appears.	
I-052122	Tooltips on properties in Relationship grids may be displayed below the column header when insufficient space is available to read the Tooltip text.	
I-054416	Misspelled words are not highlighted when Spellchecking is enabled in a Technical Document using Firefox.	
I-054714	The Link Editor dialog box does not open when clicking Add Link if any portion of the text is stylized within the Technical Document Editor.	

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
I-056635	If the name of a field in the Responsive Form Editor is changed to match the same name as another field, the field will be duplicated.	
I-056694	When modifying a Related Item from a Docked View, the Related Item isn't saved if the parent Item was locked for edit after the related child Item was opened.	Users can adjust the window to see the Tooltip.
I-056737	When the same related Item is added to multiple relationships on the same source Item, updating the related Item can cause one or more rows of the relationship grid to display as if the related Item was removed (UI issue only — actual data is not affected). This only occurs if the source Item is open at the same time as updates are made to the related Item. The same issue occurs whether updates are made from the relationship grid or the related Item's Item View.	
I-057113	The checkbox list fields in the Responsive Form Editor do not fully display the values on the editor canvas.	This only occurs when the text has more than one style. All text contained within a link should have the same style applied.
I-057129	An error appears in the Import Utility while importing an ItemType with a Responsive Form when "Ignore" is specified as a Type for handling conflicts.	Discard changes and edit the form again.
I-057835	The drop-down menus at the bottom of a Responsive Form do not fully display, as they are cropped within the Item view.	When modifying a Related Item in a Docked View, lock the parent Item before the child Item is opened in the side view.
I-058027	If a Responsive Form Item is changed to reference itself, the Item will not be saved, and error messages do not display.	Execute Save/Done on the source item, or logout and login again.
I-058226	The instantiated views of a Form do not immediately update when switching from Classic to Responsive or from Responsive to Classic.	
I-058271	Horizontal scrolling is not available for Responsive Forms. Although content is responsive (changing size and wrapping lines), some configurations such as setting large Max Width values for columns or turning off column wrapping can cause content to be wider than the available screen width. Users cannot see the overflowed content.	Use the "Merge" Type while importing an ItemType with a Responsive Form.
I-058724	Inactive values may appear in drop-down fields on Responsive Forms.	

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
I-058943	If a Dropdown Field is placed on the bottom of an Item View on a Responsive Form, the drop-down list may be hidden since it is expanded lower than the area of the Item View.	
I-059733	A newly added, unused property for an ItemType does not appear in Element pane of the Form Designer when the user has already opened the Responsive Form.	When switching a Form from Classic to Responsive, click Edit then Save/Done. When switching from Responsive to Classic, log out and back in.
I-058538	Multilingual string values are set only for current locale via dialog in search grid.	
I-060055	Users cannot save a Search Grid layout after using the "Reset Preferences" action. The "Failed to Save Layout." error message appears.	Use Classic Forms to hide inactive values.
I-060130	When an administrator clicks "Add Rule" in the Responsive Form Designer and selects multiple Rules from the dialog, the Rules are added to the Form in reverse order instead of the order they were selected.	After the Form is maximized, the value can be selected. Otherwise, type-ahead can also be used for selection.
I-061949	The Save, Done, and Delete buttons in the item view toolbar are disabled when a Numeric field on the form has focus and contains a negative value.	Reopen the Form design tab, and the added unused property will appear.
I-062053	The last row of a relationship grid is not displayed correctly after switching the grid's search mode from Hidden to Simple.	
I-062377	Requests to server methods do not support $skip token in query options. As a result, 501 HTTP status code with the text: "Query options are not implemented" is being returned.	Log out of Aras Innovator and log in.
I-062399	The Parameters tab does not appear when creating a new item with a Responsive Form.	Add Rules one at a time. Alternatively, drag and drop Rules to reorder the list after adding them to the Form.
I-062563	When a CWS Endpoint contains an ItemType and a List property with the same name, the Properties tab will incorrectly display the List property as an Item property.	Click outside the Numeric field on the form to remove focus.
I-062591	An empty Web Service Item appears in a CWS Endpoint when a user adds "related_id" to the Properties tab of a null relationship Item.	Switch the relationship grid's search mode to AML and then switch back to Simple.
I-062825	The 'Add ItemTypes' button is disabled if the Endpoint item was modified and saved from the source Web Service item.	Do not use $skip token in query options.

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
I-064161	Pasting a value into a drop-down field in a Form may not overwrite an existing value longer than the new string. When this occurs, the pasted value will be shown in the form but not saved to the database.	Click the Save button to show the Parameters tab.
I-064465	Users cannot use the keyboard arrows to select an empty value from a drop-down field in Forms.	Delete the list property that appears incorrectly as an item property. Then, change the alias of the ItemType in the web service and re-add the list property.
I-065953	If the user uses the tab key to switch between multiple rule conditions in the Responsive Form designer, the condition setting fields may not render correctly.	Delete the related_id property from the null Relationship and then delete the empty Web Service item.
I-066311	The suggestion drop-down list does not appear while entering values for the Identity Property in the Rule Panel of the Responsive Form Editor.	
I-068512	Rendering a Responsive Form in the Preview Pane doesn't work for Poly Items. The current behavior displays the Classic Form View instead.	Select values from the drop-down list or type ahead results when editing a drop-down field.
I-068705	An Error occurs when saving an Item with empty required xProperties from the search grid when the Item View has a Responsive Form.	Select the empty list value with the mouse.
I-069522	For newly created and saved Items, when the user switches to using a Responsive Item View and then switches back to Classic View, all default values are removed from xProperties inputs.	Use the mouse to navigate multiple conditions using the same rule. If the issue occurs, click outside the condition settings form. Then click the condition card again to open it.
I-071831	For Rules used to configure conditional behavior on responsive forms or grids, if two rules have the same name then only the last rule in the list will be applied.	
I-071881	The "Manage Rules" button on ItemType launches a dialog to configure conditional rules related to search and relationship grids. This interface includes a behavior function "Display Property As" which is not functional for grids and should be disabled (this behavior function only applies to Rules used for responsive forms).	On clicking Save/Done all removed values will return.

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
I-074282	There is an issue with incorrect Classification assignments applied to rows for an ItemType Can Add if a change is subsequently made to the first child Classification at a level. For example, in the following Classification tree if "Level One" was chosen for a Classification: Part Level One Level Two ... and then the Classification tree was later changed to modify the text of the first child, any assignment of 'Level One', with be changed to 'Level One/Level Two'.	Recreate the favorite search. Doing so will also apply the new behavior for the Advanced Search "null" and "not null" operators as described by fixed issue # F-005767
IH-4801	When installing Aras Innovator by running the InnovatorSetup.msi file and selecting **Use an existing database** option during the **Configure Database** step, the validation fails even if the targeted database is set up correctly.	
I-071881	The "Manage Rules" button on ItemType launches a dialog to configure conditional rules related to search and relationship grids. This interface includes a behavior function "Display Property As" which is not functional for grids and should be disabled (this behavior function only applies to Rules used for responsive forms).	Do not use the "Display Property As" function as rules referencing this function will have no effect.
I-074282	There is an issue with incorrect Classification assignments applied to rows for an ItemType Can Add if a change is subsequently made to the first child Classification at a level. For example, in the following Classification tree if "Level One" was chosen for a Classification: Part Level One Level Two ... and then the Classification tree was later changed to modify the text of the first child, any assignment of 'Level One', with be changed to 'Level One/Level Two'.	When working with Classification changes within and ItemType definition, review any updates against previous assignments to Can Add Identifies to ensure there are no unwanted changes.

©2026 Aras Corporation All Copyrights Reserved.

Issue #	Description	Workaround
IH-4801	When installing Aras Innovator by running the InnovatorSetup.msi file and selecting **Use an existing database** option during the **Configure Database** step, the validation fails even if the targeted database is set up correctly.	To select an existing database during installation, choose the **Configure only (no validations)** option.
IH-9753	It is impossible to delete the date in any search grid in the Japanese locale using the Backspace key.	
IH-8970	In a relationship grid on a parent item, if a related item contains a *formatted text* field and the user double-clicks that field while the row is **not selected**, both the related item tab and the formatted text dialog open simultaneously.	
IH-8969	When an **external image** is set in a field of type ***formatted text***, the image is not displayed when opening the content dialog from this field. Instead of the actual image, only the image icon is shown.	
IH-9348	When multiple rows are selected in the TGV grid and the context menu option **View Effectivity** is invoked, the effectivity is displayed only for the row where the context menu was triggered. The selection remains unchanged (multiple rows stay selected), but the action does not apply to all selected rows.	
IH-10068	When a user creates a new item and immediately changes its state to **Done**, then performs an RMB click on the item in the grid to open the context menu, the menu becomes unresponsive (freezes). After that, an error dialog appears with the message: The method 'cui_pmig_unclaim_init' failed.	
IH-10151	When attempting to edit an HTML property inline, the cell becomes non-editable and no editor opens. As a result, users cannot modify HTML-type cells in the relationship grid unless they open the full itemView. The formatted Text Editor does not open at all.	Edit the property via the opened property form (RMB click and select in the opened context menu Edit option)

©2026 Aras Corporation All Copyrights Reserved.